



Hospice Northwest
63 Carrie Street
Thunder Bay, Ontario P7A 4 J2
Phone: 807-626-5570
Website:
www.hospicenorthwest.ca

Content Courtesy of the Victoria Hospice Society

Child and Teen Grief


Information for Parents and
Caregivers



Bereavement Services

Table of Contents

Supporting Children and Teens Through Grief.....	3
The Grief Journey.....	4
Children Aged 3 to 5.....	6
Children Aged 6 to 8.....	11
Children Aged 9 to 11.....	17
Young Adolescents Aged 12 to 14.....	22
Older Adolescents Aged 15 to 17.....	28



Hospice Northwest is funded by the **North West Local Health Integration Network, the United Way of Thunder Bay, the City of Thunder Bay** and the generous support of community donors.

We also wish to thank **Mac's Convenience Store**, located at 3 Balsam Street in Thunder Bay for their continued support of our organization through the sale of Nevada tickets and **Bayshore Home Health**, who generously supports Hospice Northwest through third party fundraising initiatives.

We encourage your donation.

Your gift will provide direct care for individuals and families today, as well as help us to meet the need for end-of-life and bereavement care tomorrow.

To discuss making a gift or including Hospice Northwest in your legacy plans, or to find out more about fundraising activities, please contact us at (807) 626-5570, ext. 5573 or email us at **hospicenorthwest@tbaytel.net**.

Supporting Children and Teens

If your children are old enough to love then they are old enough to grieve. They feel sadness and yearning after the loss of a family member or friend and look to the adults in their lives to show them what to expect and how to deal with all the troubling thoughts and feelings that may surface.

As a parent you will be faced with the challenge of coping with your own grief at the same time as your children will need your support with theirs. Sometimes you may find it hard to listen to their anger or sadness because it brings out deep emotion that you may have tried to avoid. Keep in mind that for you and your children the best way to survive this loss is to be open with the feelings and questions that will come.

This information is provided to help you anticipate and understand the changing needs of your children and teens when a death has occurred. Remember that this information is only a guideline and that everyone will grieve in their own way and time.

Hospice Northwest offers individual, one-to-one grief support to persons who are bereaved because of death, regardless of how or when the death occurred.

Trained volunteers are assigned to grieving people, for support, companionship and non-judgmental listening.

Confidentiality Is assured.

Referrals can be made by anyone, providing the bereaved person is in agreement.

Visits take place in the client's home, unless otherwise arranged.

Hospice Northwest offers a Grief Support Group for persons who have experienced the death of a loved one.

The six week program is offered three times a year. Each group meets once a week at the Hospice Northwest office at 63 Carrie Street.

If you or someone you know has concerns or questions about grief, please contact us.

There is no charge to the individual for any of the programs or services offered by Hospice Northwest.

Please visit our website at www.hospicenorthwest.ca for more information or call our office at (807) 626-5570.

The Grief Journey

When a death occurs

Walking the Edges

SOCIAL

- Avoidance of peers or social situations
- Increased dependence on parents or caregivers

PHYSICAL

- Dizziness, restlessness, and weakness
- Diarrhea, constipation, vomiting or stomach ache
- Changes in appetite and sleep patterns

EMOTIONAL

- Withdrawal or explosive temper tantrums
- Numb or flat expression
- Feeling alone or scared

MENTAL

- Confusion and disbelief
- Poor concentration and forgetfulness
- Focused on the topic of death or the person who died

SPIRITUAL

- Blaming God, parents or self
- Wishing to die, or to be with the person who died
- No belief in the future (older children)

Important Reminder

Include your child in remembrance rituals.

Adjusting to loss

Entering the Depths

SOCIAL

- Wanting (but not asking for) the attention of parents and other important adults
- Self-consciousness with friends about the loss

PHYSICAL

- Continuation of earlier responses
- Low energy
- May have symptoms of the illness that the person died from

EMOTIONAL

- Unexpected mood swings
- Feeling hopeless, sad, guilty, fearful or angry
- Acute sense of missing the person and yearning for the person to come back to life

MENTAL

- Daydreaming, forgetfulness and confusion
- Doubt or denial about the cause of death or its permanence

SPIRITUAL

- Continued blaming of God, parents or self
- May seek comfort in thoughts and questions about Heaven or saying prayers

Important Reminder

Recognize and support your child's unique style and pace through grief.

We have chosen the image of the labyrinth as a metaphor for the journey through grief.

A labyrinth is not a maze as there are no dead ends and no wrong turnings. There is only one way—forward.

So it is with grief. The only way through is forward, with many turns and going back and forth over what seems like the same territory.

We journey to the centre of our grief, to the centre of ourselves, and then slowly return to re-enter the world.



Each person's experience on the journey of grief will be different. This is a reflection of our personal style, our relationship with the person who died, our internal and social resources, and our past history of coping.

As you journey through your own grief process, there will likely be unexpected turns and insights.

Books for Parents:

- *The Grieving Teen: A Guide for Teenagers and their Friends*. H. Fitzgerald. (2000). See above.
- *Helping Children Cope with the Loss of a Loved One: A Guide for Grownups*. W. Kroen & P. Espeland (Ed.). (1996). This book is helpful for parents and professionals and was winner of 1996 Parents' Award for Excellence. The advice and information cover the experiences of children from infancy through to age eighteen.
- *Healing Children's Grief. Surviving a Parent's Death from Cancer*. G. Hyslop Christ. (2000). A book based on research with 88 families over the course of a parent's terminal cancer diagnosis, his or her death and the first year of bereavement. May be too wordy for grieving parents though an excellent resource on the ages, developmental strengths and needs of children as they face the death of a parent.
- *Living When a Young Friend Commits Suicide or Even Starts Talking About It*. E. Grollman & M. Malikow. (1999).

For additional information, including recommended books and internet resources, please visit the Hospice Northwest website at www.hospicenorthwest.ca, or stop in and check out the resources available at the Hospice Northwest Library.

Our specialized collection of books and audiovisual materials is related to the subjects of serious illness, hospice, death and dying, spirituality, grief and bereavement, and caregiving. We also have a large collection of books geared towards children and youth. These resources focus on subjects such as illness of a parent or sibling, death and grief and are available in a variety of formats.

Library materials may be borrowed free of charge and borrowing privileges are extended to anyone who has registered as a patron of the library. A self-signout procedure is posted for the convenience of patrons.

Hospice Northwest Library

63 Carrie Street

Thunder Bay, ON

P7A 4J2

Hours of Operation

Monday to Friday

9:00 am to 4:30 pm

As life goes on

Mending the Heart

SOCIAL

- Restored desire for independence
- Interest in new activities and friendships

PHYSICAL

- Reduction of previous physical responses
- Renewed energy for activity
- Return to usual sleep and eating patterns

EMOTIONAL

- Emotions settle down and become less intense
- More happiness and self confidence
- Less guilt, fear and anger

MENTAL

- Improved concentration and understanding
- Less focus on the death and the person who died
- Increased maturity

SPIRITUAL

- Reconnection with faith and less blame
- Able to forgive self, parents and others

Important Reminder

Expect periodic returns to grieving at significant transitions in your child's life.

Grief in a family with children and teens is both rewarding and painful.

Together you will discover what hurts and what helps as you journey through the death of a family member and your bereavement.

Since it is possible that your child's understanding and needs may not fit within his or her particular age group, it may be helpful to read the information for children older and younger than your own.

One of the most difficult pieces of this journey is that not everyone in a family will grieve in the same way.

Children and teens grieve in ways that reflect their developmental understanding, previous experience with loss and the support and information available to them.

Remember that your children are learning from you so include them in your grief process.

Show and tell them how you are feeling and what you do with your grief.

This helps them to understand their feelings and how to express them.

Children Aged 3 to 5

Developmental Information

- **At this age children think in magical, self-centred, physical and connected ways.**

Children of this age will see themselves as the centre of most things they experience. They believe that their thoughts and behaviours are the cause of events, and that things that happen at or close to the same time are related. For example, your child may believe if, in a fit of anger, she wished you dead and then you became sick, that she 'caused' your illness to happen. Unfortunately, when a child of this age gets such an idea as this it is very difficult for her to revise her thinking. If you sense that this has happened, you will need to help your child understand that nothing she said, did or felt caused the illness or death. Often it is necessary to reassure your child more than once that she is not to blame for what happened.

- **In terms of how children aged 3-5 feel, there are two things to remember; they are anxious when separated from parents or primary caregivers and they are distressed by expressions of powerful emotion from adults.**

At this age children will feel scared and responsible when they see a parent or other significant adult in distress (e.g., prolonged tears, loud sobbing or slamming of doors). For example, you might be driving with your children and unexpectedly be overcome with the rage and sadness that you feel about your father's sudden death. These strong feelings might affect your interactions with your children and you might find yourself crying and yelling at them about something minor. If this sort of thing happens it is important that your children see you recover from your emotion and that you carefully and calmly explain to them what you were feeling and why.

- **Children of this age tend to have little contact with systems outside the family.**

Relatives and perhaps daycare or preschool staff are often the child's only contact with the world outside your family. When someone in the family is ill, this often means that your child will visit a number of new places (hospitals) and meet new people such as doctors and nurses. There are books and toys that you can

phlets or books that explain the grief process in a straightforward way. You might talk about your own past and present experiences with loss.

- **Make sure that the school knows about the death.**

At this age it is very important that your teen's friends, teachers, and school staff acknowledge the death and offer their condolences. This kind of support can be very comforting. Encourage your teen to contact the school principal and/or a teacher to inform them of the death and talk with them about how he would like this information to be shared. It may be helpful to invite classmates and teachers to the funeral. Teachers might help to organize classmates to find a creative way to express their sympathy and to help your teen keep up with schoolwork.

- **Support your teen to be independent.**

This does not mean that you show no interest or become distant, but that you encourage them in activities that may take them away from or outside of the family. This may be especially difficult as grieving tends to pull people inward and home. How-

ever, it is a priority for teens of this age to start to find a way for themselves outside the family.

Reading List

Books for OLDER teens:

- *The Grieving Teen: A guide for teenagers and their friends.* H. Fitzgerald. (2000). This book provides information about a wide variety of situations and emotions and gives tools for teens to work through their pain and grief.
- *Fire In My Heart. Ice In My Veins: A journal for teenagers experiencing a loss.* E. Samuel Traisman. (1992). A guide to journaling for teens.
- *When a Friend Dies: A Book for Teens about Grieving and Healing.* M. Gootman, P. Espeland & D. Stith. (1994). This compassionate, easy to read book provides information on normal grief.
- *Living When a Young Friend Commits Suicide: Or Even Starts Talking about It.* E. Grollman & M. Malikow. (1999). A good resource on the issue of suicide, this book contains information and practical advice.

ample, talk openly with your son about his chances of developing heart disease, which his father had, and what he can do to prevent it. Be willing to hear his concerns about your lifestyle and what he fears could happen to you.

When Someone has Died

Prepare your teen for family rituals. At this age teens may want to play a central role in the planning of participation in the funeral or other rituals. Your daughter may want to take responsibility for particular aspects of the event that tie in with her own needs or strengths. For example, if she has an interest in creative and artistic projects she may want to make a memory book for the event. Or she may want to help by interviewing close family members or friends for stories that could be included in the service.

- **Recognize your teen's need to identify with the person who died and to be clear about the positive and negative parts of their relationship.**

Teens may have a strong need to be like the person who died. You may notice that your teen is taking on one or more characteris-

tics or interests of that person. Understand that this behavior comes from a normal need to continue to feel connected to that person. Be ready to be honest about the similarities and differences between your teen and the person who died. If the relationship that your teen had with the person who died was difficult or abusive, it will be important to be realistic about both the strengths and the struggles of the relationship. For example, the son of a transient mother who died after a drug overdose might be deeply sad and grieving his loss of hope that someday they'd have a healthy relationship, and at the same time, full of anger and hatred toward her because she didn't love him enough to stop abusing drugs.

- **Describe the grieving process and what to expect.**

At this age, your teen's grief may be much like your own. For example, in addition to death of this person, your daughter may be dealing with other related issues: i.e. others' sadness, the questions that arise in the face of death, or the way that lives are forever altered by death. It may be helpful to direct her to pam-

use to help your child become familiar with these new situations.

When Someone is Very Ill

- **Tell your child about changes in the person who is ill, and that they are caused by the disease and its treatments.**

Use clear simple words and go over this as often as new changes happen. Children of this age benefit from clear honest information given on a regular basis that can help them to understand what they are seeing and hearing as their family member changes. For example, on your next visit to the hospital you might show her a wheelchair or an electric bed and demonstrate to her when they are used and how. When you talk about the sick person or the illness with your child, focus on the things that she will actually see (e.g., medicines, weight loss, hair loss, equipment) and hear (e.g., breathing changes, crying, common words, such as chemo or cancer).

- **Respect that your child cannot witness intense feelings for more than a brief time.**

If your child sees that you are very upset he will think that he is the cause of your grief so, careful

frequent explanations are necessary. It is common for adults to want to protect children from intense displays of emotion. However, sometimes this expectation is unrealistic. For example, you may need to tell your son that his mom is going to die, but you can't even think about it without being overcome with tears. If this is your situation you may ask a trusted friend or hospice counsellor to explain this to him with you present. Talk together ahead of time so that this person understands your needs and exactly what you would like your son to know.

- **Talk with the person who is ill about the length and frequency of visits with your child.**

Sometimes the excitement and energy of a young child may be tiring or overwhelming. Plan for your child to have something interesting to do during the visit. It is a good idea to take quiet toys or other simple activities that she can play with or show to the person that you're visiting. For example, she might draw pictures or make a card for the person while you're there. Don't visit during regular nap times. Often a visit over your child's favorite take-out lunch or dinner is a com-

comfortable way to spend time together. Be prepared to leave when she shows you, through her mood or behaviour, that she is ready to go. If you would like to stay longer than your child can manage, arrange to have a favourite person come and take her home.

- **Make a regular time and place when your child can ask questions and share his feelings and thoughts about what's happening.**

When someone that you love is seriously ill it can be difficult to find time to talk about it with your children. Many adults hope that if their children aren't showing any upset that they're OK. However, even though children of this age are very aware of what is going on with you, they often do not have the words needed to let adults know about their feelings and questions. You will need to make time for these conversations with your child. For example, you might find that bedtime, when you can snuggle up together, is a good time to check out how he is doing. Or you might choose mealtimes or car rides for these talks.

When Someone has Died

- **Use concrete specific details to**

explain to your child that the person has died.

It is helpful to clarify that when someone dies their heart doesn't beat, their ears don't hear, their body doesn't move, etc., and that the person cannot feel anything anymore. The characters and heroes of cartoons and movies aimed at children of this age often magically come back to life and this unfortunately reinforces their false and magical beliefs about death. Consequently, it may be difficult for your children to understand the permanence of death. You will likely need to explain and affirm frequently that the person who died will not be coming back to life. It may be helpful to recall a past loss that she will remember such as the death of a pet or another person to demonstrate that dead people don't come back. If you are able to remain calm it may be helpful for you to allow her to see the person after death because it would help her to understand in a very concrete way that when someone dies their body stops working completely.

- **Prepare your child for any rituals that will take place after the death.**

Before attending the funeral or

is more important than going to college right away.

When Someone is Very Ill

- **Give your teen information about the person's illness and what to expect as soon as possible.**

Adolescents of this age will use information about the present situation to think ahead and plan for events in the future. For example, when she is told that her grandmother will not recover from a recent stroke and has a certain amount of time to live, your daughter will begin to feel the sadness of grief and start to think about and prepare for her life without that person. To support her in this process, you could suggest that she might want to write or talk about the things that her grandmother taught her.

- **Help your teen find ways of helping the person who is ill, using his present interests or skills.**

At this age, teens often want to be helpful but may not know what to do or how to offer. For example, if your son is known for his tidiness, you might suggest that he help his dying father organize his office space or work-

shop.

- **Consider the number of stresses for your teen and their effect on school or other performance.**

At this age, it is difficult for teens to set aside major worries even for important projects or responsibilities. Because of this focus, grades at school or athletic activities may be affected. This can be a major concern for teens who are applying to get into university or college. It might be helpful to offer to help your daughter study for upcoming exams or to proof-read her assignments. This is an age when relationships and the future are very important. At this time you might ask if she's able to talk with friends about what's happening and explore whether she has any concerns or questions about how this person's illness and death will affect her future.

- **Be alert to your teen's fears about his and your mortality.**

Although this is a concern for young people of any age when someone in the family is ill, older teens are able to understand that some people may be prone to certain diseases because of lifestyle and genetic factors. For ex-

Older Adolescents Aged 15 to 17

Developmental Information

- **At this age, teens are able to think ahead about a death and also to imagine how the death might affect them now and over time.**

Your older teen will begin to grieve before the person dies, thinking about the absence of that person at important times in the future. For example, when your daughter hears that this person is terminally ill she may feel desperately sad that he or she will not be there to see her graduate and become an architect as they had discussed many times together. Also teens of this age are usually able to understand what changes in the ill person's condition mean and to be flexible with family and personal routines. You can expect that your daughter may have concerns about genetic or gender-related aspects of the disease. For example, if a girl's mother and an aunt died of ovarian cancer, she may have fears that she will be diagnosed with and die from the same disease.

- **Teens are moving away from the self-centeredness of their younger years.**

They begin to see and under-

stand the effect that a loss will have on others as well as themselves. However, this ability comes and goes. At times, they may clearly sympathize with the dying person and other family members for the losses that they face. At other times, their only concern will be their own needs, suffering or sorrow. They are usually able to express and discuss their emotions with others including both friends and caring adults. As they tend to be closest with friends, these teens will talk with each other for support. They are likely to worry about how people will cope with this illness and death and how it will shape their future.

- **The world of 15 to 17 year olds includes current systems such as family, friends and school as well as important systems that lie ahead.**

College or university ambitions, travel plans and work arrangements will impact how your son responds to this loss. You can expect that how he deals with the loss may influence the decisions he makes about his future. For example, your son may decide that working and traveling for a year or two after the death

memorial service explain to your child what will happen, who will be there, how people will be and what role, if any, he will have. Remember that children need concrete information and will be frightened by intense emotion. For example, if you and your son will be attending the funeral of a much loved uncle you might tell him that many of his uncle's friends will be there and that some people, including yourself, will probably be crying because they are sad that he has died. If it is an open coffin service you might explain that his uncle's body will be there so that people can say goodbye to him and that the coffin is used to bury his uncle in the ground. Ensure that you or another person will be free to take him home if he wishes and be sure that he knows who that person will be.

- **Provide your child with frequent opportunities to think and talk about the person who died.**

When there has been a death in the family, children will need to talk about what happened long after the death and initial grieving period. Children look to parents and caregivers for guidance about how to grieve and if you

don't talk about your loss it is unlikely that your child will. If you continue to talk about the person who died and how you are both coping it will help your child to understand and accept the loss. For example, if you both openly talk about the person who died, sharing memories and feelings, she will know that she is not responsible for the sadness that you both feel.

- **Give your child access to objects that foster an ongoing sense of connection to the person who died.**

Children at this age will long for the person who died and want them to come back. Resist the impulse to put away all the pictures and other reminders of the person who died. Keep objects or photographs of the person who died accessible to your child, as these are often a source of comfort and pleasure. For example, if your son's beloved grandpa died, he may want to keep a special picture of him in his room and wear his slippers. It might also be especially important on birthdays or special holidays to find a way to remember grandpa. Find out what helps your child feel connected to the person he grieves for.

Remember that your child's grieving process will differ radically from your own.

Children of this age live in the moment. They don't realize the full extent of the loss and will be uncomfortable with long intense displays of emotion. They will grieve sporadically with intense brief bursts over many years. For example, your daughter may be inconsolable about her father's death one moment and happily playing the next. When this happens accept that this is normal and that she will have feelings and questions about this loss throughout her lifetime.

Reading List

Books for children:

- *Lifetimes*. R. Ingpen & M. Bryan. (1987). A simple story about beginnings and endings in the lifetimes of plants, animals and people.
- *My Many Colored Days*. Dr. Seuss. (1998). A useful book to help adults talk to kids about emotions.
- *When Dinosaurs Die: A guide to understanding death*. L. Krasny Brown. (1996). Engaging book that has straight forward questions and answers about death.
- *Old Turtle*. D. Wood (1992). A beautiful story that may help with questions about spirituality, nature and God.

Books for Parents:

- *How Do We Tell the Children?* A step by step guide for helping children two to teen cope when someone dies. D. Schaefer & C. Lyons. (1993). Helpful book for parents and professionals about communication with children of various ages on the topic of death and dying.
- *Helping Children Cope with the Loss of a Loved One*. A guide for grownups. W. Kroen & P. Espeland (Ed.). (1996). This book is helpful for parents and professionals and was winner of 1996 Parents' Award for Excellence. The advice and information cover the experiences of children from infancy through to age eighteen.
- *The Grieving Child. A parent's guide*. H. Fitzgerald. (1992). Easy to read book for parents with many tips and recommendations about ways to support grieving children at any age.
- *Healing Children's Grief. Surviving a Parent's Death from Cancer*. G. Hyslop Christ. (2000). Book based on research with eighty-eight families over the course of a parent's terminal cancer diagnosis, the death and the bereavement.

through their feelings and questions about it. Some teens may begin to recognize certain qualities or characteristics of the person who died that they also possess and choose to build on them as they mature. For example if the person who died was really easy to talk to, your son may strive to be a helpful listener to his friends.

Reading List

Books for young teens:

- *Mick Harte was Here*. B. Park (1996). A young teenage girl's brother is killed in a bicycling accident and she copes with his death and her feelings of grief.
- *Getting Near to Baby*. A. Coulombis. (2000). While a young teen and her little sister are at an aunt's as their mother is grieving, they cope with their own feelings after the death of their baby sister.
- *What on Earth Do You Do When Someone Dies?* T. Romain & E. Verdick. (1999). A book to help young people identify their questions, needs and feelings.

Books for Parents:

- *How Do We Tell the Children?* A step by step guide for helping children two to teen cope when

someone dies. D. Schaefer & C. Lyons. (1993). Helpful book for parents and professionals about age-appropriate communication with children on the topic of death and dying.

- *Helping Children Cope with the Loss of a Loved One*. A guide for grownups. W. Kroen & P. Espeland (Ed.). (1996). This book is helpful for parents and professionals and was winner of 1996 Parents' Award for Excellence. The advice and information cover the experiences of children from infancy through to age eighteen.
- *The Grieving Child. A parent's guide*. H. Fitzgerald. (1992). Easy to read book for parents with many tips and recommendations about ways to support grieving children at any age.
- *Healing Children's Grief. Surviving a Parent's Death from Cancer*. G. Hyslop Christ. (2000). Book based on research with 88 families over the course of a parent's terminal cancer diagnosis, the death and the bereavement.

ing for adolescents who are trying to control their powerful emotions. Help your daughter to understand what she may experience while grieving. Explain to her that it is common to want to talk to the person who died and to have visitations or dreams of him or her. Let her know that it is also common to forget that the person died and imagine that she sees him or her somewhere. Help her understand that feeling numb, relieved, or angry with the person who died are all normal aspects of grief. Also, assure her that while she may never forget the person who died, the sadness and anger should ease over time.

- **Set limits to prevent destructive behaviour and encourage continued growth and independence.**

This is a time when your teen's needs to separate from you and establish herself with peers usually leads to increased family conflict. When grief is added to this conflict your teen may be involved in more serious acts of rebellion, such as vandalism, theft, or skipping school. Pay attention to alcohol or drug use, big changes in your daughter's circle of friends or interests, and

uphold reasonable standards, curfews, and consequences. If discipline is a new role for you, get advice from teachers, other parents and counsellors that you respect. Alternately, she may be inclined to stay close to home out of concern for you or her own feelings of insecurity after the death. Although it may feel good to have your daughter's company, it is important for her to continue to develop interests and close relationships outside of your family. If your daughter no longer wants to see her friends find out her reasons. For example if it's because she cries all the time encourage her to risk being honest about that with her closest friends or help her find ways to safely express emotion.

- **Help your teen to identify positive outcomes.**

Encourage your son to use a journal, write stories or talk to other kids about his experience. In time he could explore what he has learned about himself, the family, the person who died or grief from this tragic event. Teens of this age often find focusing school projects or assignments on their loss experience helps them not only keep up with schoolwork, but also work

Children Aged 6 to 8

Developmental Information

- **Between 6 and 8 years of age children are changing in the ways that they think.**

Some children of this age are able to understand cause and effect and most will still think in the egocentric and magical ways of younger children. When someone in the family has died there is often tension, conflict, sadness, and anger in other family members. Young children naturally will detect these feelings, even if you think that you are hiding them. When you don't explain to your child that these normal feelings are about the loss, he may think that he is the reason for the family's distress. If this happens it is important that you talk to your child immediately about what you felt and why. At this age drawings, short stories and play may be ways to help your child understand why the illness or death has occurred. Use simple honest language. Avoid terms that your child may not clearly understand, such as 'terminally ill' or 'passed on'.

- **Children of this age usually feel free to express their emotions.**

Different from younger children, 6 to 8 year olds may remain fixated on the illness or death of a family member and can be easily overwhelmed by their own emotions. The sadness, anger, anxiety or guilt that they might feel about a family member's illness usually shows up as a change or increase in their normal behaviour. For example, you might notice that your generally confident child is now anxious and resistant, with tears and tummy aches, when you take her to school each day. When this happens, talk to her teacher and principal about helping your child express her feelings and feel safe when you are not available. It is common for children of this age to feel rejected and unloved if you take time and energy away from them to care for an ill family member. Since this may be unavoidable, it is important that at some point each day your child can have special time alone with you and regularly explain why you are leaving her.

- **Although children of this age usually have made connections with school and other children, they are not self-sufficient and still need reassurance from**

parents and other significant adults about their importance and safety in the world.

When parents are distracted with caring for others or grieving, the child's basic needs for nurturing and encouragement can be overlooked, and this may result in the child feeling rejected or frightened. During these times the continuation of your child's usual routines and the company of other caring adults may be helpful.

When Someone is Very Ill

- **Tell your child about the disease, including its symptoms, treatment and what is likely to happen.**

When you talk about this with your child it is important that you use the correct name of the disease and that you clearly explain what causes it and how it affects the person who is ill. Talk about the things that your child might see (e.g. weight loss, changes in the person's skin colour, hair loss,) and hear (e.g. coughing, confusion, people awake at night) and whether the person will get well or not. It will be necessary for you to go over this information again as things change and to be honest with your child about what the changes mean.

For example, you might say to your son that his auntie has cancer and the doctors aren't able to make it go away. You could tell him that the cancer is growing too big for her to get better and that this means that she will die. You might also explain to him that before she dies she may stop eating and be too tired to stay awake when he visits with her. Since many children of this age will avoid asking questions out of fear of upsetting others or making the situation worse, it is important that you start and continue these frank discussions throughout the illness.

- **Demonstrate to your child that you love her and that you will be there for her.**

At this age children look to their parents for their self-worth and safety. When you are not often free to play with your child and most of your times with her are affected by the despair and exhaustion that you feel about a family member's terminal condition, she may become insecure and resentful. Often these feelings show up as withdrawn, angry or babyish behavior. For example, your child might stop speaking to you for a while or get into

- **Limit the number of new chores and caregiving tasks that you give to your teen.**

Although your son may seem old enough or sensible enough to take care of the person who is ill, he isn't prepared emotionally for this kind of responsibility. Your teen needs to spend time with friends and in extra-curricular activities. These interests help him to grow as a person. Although it may be tempting to give various household duties to him while you are caregiving, be sure that these responsibilities don't mean he cannot do the things that are most important to him.

When Someone has Died

- **Prepare your teen for family rituals such as the funeral.**

If this will be the first funeral or memorial service that your teen has attended, ensure that she understands what will happen and what may be expected of her. She may want to play more of a central role than your young children in the final remembrance activities. For example, this may involve reading the eulogy, gathering and arranging family photographs for display or helping you to plan how the event will unfold. Remember

that it is often important to young teens that their friends, friends' parents and other important adults attend the memorial service. Be sure that she knows the time, place and date of the service and offer to help her invite these key people.

- **Let your teen choose special mementos from amongst the belongings of the person who died.**

Even though sorting through these items may be very difficult for you, allow your teen time to choose things that have meaning for him. Remember that there is no particular time at which this task must be done, so take it at a time and pace that feels comfortable for you both. It is not uncommon for a teen whose parent has died to choose to keep and wear some of the parent's clothing. Clothing is full of memories and sometimes even the smell of the person who died and they can serve as a direct link with the person who has died while your son is adjusting to life without him or her.

- **Normalize the grief process.**

The intense and unexpected waves of feeling that are part of grief can be particularly distress-

decides not to go, you might suggest that she could write a note instead and you could read it to the person when you visit. It will be important to let her know that even though she doesn't visit, the dying person accepts her choice, feels her love and that you both accept her reasons for not going. If possible, give her a way to change her mind.

- **Talk with your teen and ask about his feelings and concerns.**

Although these conversations may be awkward, unwelcome or infrequent it is important that you make them happen. He may fear rejection by his friends if he speaks about his upcoming loss and be holding his true feelings inside. Don't be misled by your son's apparent lack of concern and think that he is unaffected by the situation. For example, you might think that since he is keeping up his grades and not sad at home that he is all right. However, it is more likely that he finds that schoolwork provides him with relief from the intensity of his feelings and family life. If you sense that this may be happening let him know that you are interested in how he's managing. If

you don't feel comfortable doing this or he refuses to talk with you, you might ask him if there is someone else that he would be comfortable talking with. Teen support groups, mentors and counsellors, rather than friends and parents, may be your teen's preferred source of support.

- **Accept that your teen may be sensitive and explosive and do not get into unnecessary arguments.**

It is common for teens of this age to take out their stresses on parents and caregivers. Understand that the challenging behavior that you are dealing with is a part of normal conflict made worse by the illness of a beloved family member. Remember that your teen may not yet have the skills to communicate more sensitively. Try to be compassionate and calm in these moments. For example, you might let her know that you understand her frustration, fear, or anger and also that you have difficulty with it. Explain that, although her behavior is not okay, you do realize her struggle and will help her find more reasonable ways of expressing herself.

fights at school with her peers. When this happens, it will be important that you respond with love and understanding, as well as reasonable consequences.

- **Find one or two other caregivers who are trustworthy and can regularly take care of your child when you must be elsewhere.**

When you are looking for alternate caregivers, think about who your child feels happiest and most comfortable with. It is important that these people are honest and open with him about your family member's illness in the same way that you are. If the people that you choose are uncomfortable discussing the illness with him, you could provide them with any information that you have found particularly helpful. Also, it may be possible that a counsellor who is working with your family could meet with you and the caregivers and suggest ways that you might all work together to support your child through his grief process.

- **Talk to teachers and other significant adults such as coaches and group leaders.**

These adults are part of your child's social world and their care

and understanding will help your child to manage the awkward moments, impossible questions and intense emotions that may lie ahead. Let these people know that there may be a temporary drop or change in your child's performance, enthusiasm and/or concentration. Let them know that this kind of change is normal and provide them with resources, such as brochures, books or videos that may help them support your child during this difficult time.

When Someone has Died

- **Tell your child promptly about the death.**

If your child was not present at the time of death, soon after the death has occurred, tell her what has happened. When you tell her that this person has died, explain that the person's bodily functions have all stopped (e.g. heartbeat, breathing, movement) and that he or she can no longer see, hear, eat or feel. State clearly to your child that the person will not come back to life and avoid using phrases such as 'gone to a better place' or 'with the angels' and comparisons that associate death with sleep. These common euphemisms and comparisons con-

fuse the magical and concrete thinking of children at this age. Your child may misunderstand what you mean and become fearful. For example, instead of telling your daughter that grandma has passed away, you would say that she has died and that you knew grandma had died because she stopped breathing.

- **Encourage and prepare your child to attend family rituals that will happen after the death.**

If there is to be any funeral or memorial service, begin to prepare him for what to expect when he is there. Be sure that he knows what will happen, who will be there, what he will be doing at the service, and if the body of the person who died will be there. Ask a special person to be available to the child if he needs support and you may be unable to provide it. If your child has a close relationship with other adults such as a teacher or coach it can be helpful if those people can attend the service. Whether your child attends the funeral or not, he might want to make a letter or drawing to place into the coffin as his personal goodbye to the person who has died.

- **Anticipate that your child may be concerned about her health and the health of the significant adults in her life after a death.**

After a death in the family, children often become quite curious and concerned about death. Your child may be constantly asking questions about whether or when different people in her life will die. She will likely also be concerned about the possibility of her own and your death. Often this kind of fear shows up in your child's body. For example, she may complain of having similar symptoms to the person who died, such as headaches or tummy aches. If your child complains in this way she needs your loving attention, patience and understanding. Reassure her that you both are healthy by explaining in simple ways that you and she do not have what the person who died had. In the event that this is an hereditary illness that either you or she may get, it will be important to clearly explain this possibility, although now may not be the right time.

- **Expect that your child will be concerned about what would happen to him if his surviving parent(s) became ill and died.**

want to be at home or with you, they will need a lot of reassurance that you still love and care about them. For example, when someone is ill you may spend a lot of time away from home or be keeping things to yourself assuming that since your teen is not around, she doesn't need you or isn't interested. However, it is possible that she will think your absence means that you don't care about her or the goings on of her life. It is also important that you are very clear about your expectations and that you identify what isn't negotiable and also that you are clear about the choices that she does have. Find ways to share time with your teen that help her to be secure about your love and interest in her.

When Someone is Very Ill

- **Give your teen information in a formal detailed way.**

Even though you are likely to meet resistance, it is important that you give your teen correct up to date information. Since his first priority may not be family, it is important that you give him enough information to make choices about when and how he wants to spend his time. Because

a teen of this age may want to avoid emotional discussions, it is important that he understands why he needs to hear what you have to say and that you keep calm as you say it. If, for example, you know that you are too upset to speak calmly and clearly, you might ask the doctor or a friend to explain things to him. Remember that teens of this age will not seek out information about illness and dying. He may not know what is happening even when he leads you to think that he does.

- **Help your teen to decide when and if she wants to visit the person who is dying.**

Let your teen know when death is expected and be as specific as possible about the changes that you are seeing. For example, describe how the person has changed since her last visit, what she might notice this time, and whether death is hours, days or minutes away. The intense emotion that anticipating a final visit triggers may be very upsetting for a young teen, and she may choose not to visit but to remember the dying person as he or she was before the illness. Once your daughter has made her decision, be supportive. For example, if she

Young Adolescents Aged 12 to 14

Developmental Information

- **Young adolescents are entering into the cognitive stage known as formal operational thought.**

This means that they are beginning to understand more fully the realities of dying and death. This growing comprehension means that teens will go through the death of someone they love with insight, compassion and conflict. As a defense against the reality of death, they will often refuse to accept that someone is dying and may insist that the person will get better or that family and doctors not 'give up'. For example, when you tell your daughter that her mother is expected to die, she may react with outrage at your lack of hope and demand that you get the doctors to do something more. At this age, hope and denial work together to help her cope with the intensity of her emotional responses to the devastating news. It is important for you to remember that although your teen will think she knows all that there is to know, this is not going to be true if you are unable to find ways to talk to each other.

- **Since young teens are beginning to understand how much will be lost or changed when**

someone dies, they experience powerful feelings of sadness, anger, guilt, fear and fierce hope.

Adolescence is normally a time of emotional extremes and the stress of a terminal illness in the family is likely to exaggerate these extremes. Typically teens are overwhelmed, threatened and embarrassed by their own and other people's strong feelings and will prefer to be alone to express them. For example, when a young teen is told that his best friend has died he might erupt with intense anger, storm out of the room, refuse to come out of his bedroom, and not talk to anyone (or any adults) for several hours. Allow your teenager the time and space he needs to take in important information. Be respectful of his need for privacy but continue to check in with him about his needs for support or information.

- **Although young teens must begin to push for their independence and freedom with parents, they will often feel rejected and abandoned if they believe that their parents are withdrawing.**

Even though your teens may not

When a significant adult dies, your child will be more concerned that you may die. It is important that you explain to your child what would happen to him if you were to become ill and die. For example, you need to talk to him about whom you have named as his guardians and what those guardians would do for him in the event of your illness or death.

- **Understand that it is normal for your child to express grief in brief bursts quickly followed by happier activities.**

Your child's grief will likely happen in sudden outbursts of sadness, anger, guilt or fear. When this happens, allow your child to feel her feelings and help her to find reasonable or safe ways to express them. For example, if she is showing a lot of anger, you and she might play soccer or tag together. If she is sad, you might spend some time talking about the person who died or looking at photographs together. These moments may be especially difficult for you to get through because your own grief will be triggered. Be sure that you are allowing yourself the time and space to grieve so that you are able to

support your child as she grieves. You will also need to find ways to express and share your emotions and questions with adults who can understand your pain.

Ask for the support of key adults in the child's life such as teachers, principal, coach or group leader. Children of this age are beginning to look to other adults as well as parents to provide them with a sense of well-being, self-esteem and security. Be sure that these key people understand grief and are comfortable with it so that they can help your child deal with the awkwardness and curiosity of other children and adults.

Reading List

Books for children:

- *Badger's Parting Gifts*. S. Varley. (1992). A badger dies after a long life. His friends are sad, but remember the things he taught them.
- *The Tenth Good Thing about Barney*. J. Viorst. (1976). When his cat dies, a boy tries to remember ten good things about him.
- *Gran-Gran's Best Trick*. A story for children who have lost someone they love. L. Holden. (1989). A boy's grandfather gets cancer and the boy grieves while his grandpa is dying and remembers their close relationship.
- *Vanishing Cookies. Doing OK when a parent has cancer*. M. Goodman. (1991). A story about a child's concerns and needs when someone in the family has cancer.

Books for parents:

- *How Do We Tell the Children?* A step by step guide for helping children two to teen cope when someone dies. D. Schaefer & C. Lyons. (1993). Helpful book for parents and professionals about

age-appropriate communication with children on the topic of death and dying.

- *Helping Children Cope with the Loss of a Loved One*. A guide for grownups. W. Kroen & P. Espeland (Ed.). (1996). This book is helpful for parents and professionals and was winner of 1996 Parents' Award for Excellence. The advice and information cover the experiences of children from infancy through to age eighteen.
- *The Grieving child. A parent's guide*. H. Fitzgerald. (1992). Easy to read book for parents with many tips and recommendations about ways to support grieving children at any age.
- *Healing Children's Grief. Surviving a Parent's Death from Cancer*. G. Hyslop Christ. (2000). May be too wordy for some grieving parents though an excellent resource on the ages, developmental strengths and needs of children as they face the death of a parent.

frequent sulking, clinging or misbehavior. Be aware that these difficult behaviours tend to be most extreme at home and directed at you as the remaining parent or caregiver. If the parent who died was the main disciplinarian it will be important that you quickly develop your own way of maintaining order and respect in the family. If you are at a loss about how to do this, ask other parents that you respect, or teachers, coaches and school counselors for help. Also, there are agencies in most communities that offer parenting support or information classes.

Reading List

Books for children:

- *Charlotte's Web*. E.B. White. (1999). A story of love, friendship, seasons, change and death between a young girl, a pig, and a spider.
- *The Education of Little Tree*. F. Carter & R. Strickland. (1986). A chapter book about a young orphaned Cherokee boy who goes to live with his grandparents. Full of love, compassion, sadness and hope.
- *Zebra: And Other Stories*. C. Potok. (2000). Short stories written for young people facing

coming of age milestones such a peer pressure, grief, divorce and finding hope.

Books for Parents:

- *How Do We Tell the Children?* A step by step guide for helping children two to teen cope when someone dies. D. Schaefer & C. Lyons. (1993). Helpful book for parents and professionals about age-appropriate communication with children on the topic of death and dying.
- *Helping Children Cope with the Loss of a Loved One*. A guide for grownups. W. Kroen & P. Espeland (Ed.). (1996). This book is helpful for parents and professionals and was winner of 1996 Parents' Award for Excellence.
- *The Grieving Child. A parent's guide*. H. Fitzgerald. (1992). An easy to read book for parents with many tips and recommendations about ways to support grieving children at any age.
- *Healing Children's Grief. Surviving a Parent's Death from Cancer*. G. Hyslop Christ. (2000). Book based on research with 88 families over the course of a parent's terminal cancer diagnosis, the death and the bereavement.

memories or the things he liked most about the person who died. Find out if he would like any friends to be at the ceremony. Help him extend these invitations.

- **Return to the family's former routines and prepare your child for any necessary changes in these routines.**

After a death, family life is different. Usual eating, sleeping and living routines will be in disorder for a while and some may be permanently changed. This state of confusion will be difficult for your child so it is important for you to continue the routines that help her to feel secure and looked after. For example, continue with normal bed and meal times, and getting your child to school, even though you and she may not feel like it. Family meetings can provide you with a chance to bring out and talk about any upcoming changes or brewing issues; if your family doesn't presently have them, now may be a good time to begin.

- **Be aware that your child may not know how to grieve.**

This may be your child's first experience of a death and he will look to you for guidance about what to do with the many reactions, feel-

ings, and questions that surface as part of his grief. This doesn't mean you need to be the perfect model of grief, but understand that how you grieve will strongly influence how your child grieves. For example, if you leave the room whenever you cry, your child will learn that he must not cry in front of other people. Even though most children this age can only stand brief displays of emotion (whether their own or another person's) it is important that the adults around them model healthy ways to express common emotions. Spontaneous, controlled moments of crying will help your child to see that expressing and sharing emotions is normal. To help your child express her grief, it may be helpful to look at family photograph albums or visit the cemetery together.

- **When a parent has died, expect changes in your child's behavior.**

A child whose parent has died will be full of emotions, particularly fear, guilt and sadness. One way your child copes with these intense feelings is to act them out. A grieving child may become unmanageable and demanding. For example, this can show up as

Children Aged 9 to 11

Developmental Information

- **At this age children are becoming more capable of concrete operational thinking.**

This means that children of this age are on a quest to gain knowledge and understand events, so they have many questions (often 'why' questions) and a need for detailed information about terminal illness and death. They use logic in their thinking and are sometimes able to modify inaccurate conclusions that they have previously formed. For example, to begin with your child may wish that a dead loved one would 'come back to life' (which is like a younger child's more 'magical' thinking) but also be able to change this thinking, when things are explained, to understand that coming back to life is not possible.

- **Although children of this age definitely have feelings about a loved one being ill, they don't easily talk about these feelings or express them to others.**

Children are beginning to rely on their new ability for logic and think through their feelings as well as feeling them. This helps them contain powerful emotions that may be overwhelming for

them. For example, if your child has been told that someone is going to die, and she is feeling sad or fearful about it, she may ask you questions such as "does it hurt", "what does it look like", or "when will it happen" as well as expressing her sadness or fear. It is important to remember that children who have been excluded from earlier discussions about the illness may not feel comfortable talking about their concerns now. It is common for children who have not been given enough information to feel anger, anxiety and mistrust. Find ways to speak with your child often, openly and plainly about illness, dying, death and grief.

- **At this age children are increasingly involved in activities and relationships outside of their homes and families.**

Their classmates, teammates and friends take on new importance. They spend a significant amount of time with friends, sharing common interests and social experiences. However, they don't tend to talk about or look to one another for support about things like illness or death. For example, your child is unlikely to turn to a friend for answers to his ques-

tions about dying. However doing things with friends is a major part of how children cope with stress, illness, and death. It provides your child with a non-threatening and natural outlet for pent-up emotions in a way that gives him a sense of control and competence.

When Someone is Very Ill

- **Give your child information when the disease is diagnosed and let her know about each new change in the illness.**

The information should include the name of the disease, any known causes and treatments. Your child will be more comfortable when she's included. Explain any changes in the sick person's behavior or the family's routines as a result of the disease or its treatment. For example, if the sick person will lose her hair and throw up a lot from chemotherapy, it would be helpful to explain ahead of time to your child that these are normal side effects.

Give basic information regularly (as it is known) to help her identify and express her feelings and thoughts before the shock of imminent death.

- **Explore your child's interest in visiting and helping the person who is ill.**

Your child may have a natural curiosity about the person who is ill, wanting (and fearing) to know what the ill person looks like and what's happening with him or her. He might like to visit and even help the sick person. Once you are sure that your child wants to visit, consider whether he would like to do anything for the person when you are visiting. For example, although it would not be safe for him to be left alone to take care of the ill person, he might help to prepare a meal or make a tape of the person's favorite music. Be sensible and creative when thinking about things that are reasonable for a child of his age to do. When he visits, be sure that he understands that his visit might be shorter than he hopes because the dying person may be too tired or unwell.

- **Be aware of any alliances or conflicts that your child has with the person who is dying.**

It is important to think carefully about how your child feels about the person who is dying and how

the dying person feels about her. Are they best friends? Does your child go to him or her whenever something is hurting or needs fixing? Is their relationship difficult? Do they argue often? Does your child relate to the dying person because they are alike or different? Thinking about these questions will help you to understand what will be lost and where the gaps will be for your child after this person dies. It is important to acknowledge the uniqueness of their relationship and be willing to identify any negative aspects of it that your child may struggle with.

- **Allow your child to remain involved in regular after-school activities, sports and visits with friends.**

Remember that your child is at an age when these activities are vitally important. Developing activities, interests and friendships outside of the home and family help the child to build healthy self-esteem and an extended support network. Try to maintain usual after-school routines and make play time with friends a priority.

- **Educate and update the significant adults in the child's life.**

Since children of this age may be unlikely to initiate discussions with adults about the disease or its progression, you might encourage other adults to bring it up. For example, you might provide them with information that you have found informative and give them permission to raise the topic if it feels appropriate. Also, your child may be encouraged to know that these adults have lived through losses and to hear what they felt or learned.

When Someone has Died

- **Encourage your child to participate in family rituals after the death.**

Explain the purpose of these rituals and invite him to take part in any planning or preparation. Talk with him about the possible duties he might wish to have such as helping to write the obituary or helping to seat guests at the funeral. You might consider whether he'd like to contribute his thoughts or feelings to a speech given at the service or other gathering. For example, he might like to make a list of his favorite