

Hospice Northwest offers individual, one-to-one grief support to persons who are bereaved because of death, regardless of how or when the death occurred. Trained volunteers are assigned to grieving people, for support, companionship and non-judgmental listening.

Confidentiality Is assured.

Referrals can be made by anyone, providing the bereaved person is in agreement. Visits take place in the client's home, unless otherwise arranged.

Hospice Northwest, offers a Grief Support Group for persons who have experienced the death of a loved one. The six week program is offered three times a year. Each group meets once a week at the Hospice Northwest office at 63 Carrie Street.

There is no charge to the individual for any of the programs or services offered by Hospice Northwest. Please visit our website at www.hospicenorthwest.ca for more information or call our office at (807) 626-5570.



Hospice Northwest

63 Carrie Street

Thunder Bay, Ontario P7A 4 J2

Phone: 807-626-5570

Website: www.hospicenorthwest.ca

Content Courtesy of the Victoria Hospice Society

Grief After Suicide



Bereavement Services

Grief After Suicide

Your grief after a suicide may feel quite different than the grief you have felt after other kinds of losses. Usually the death of someone from suicide has a much more intense and long lasting impact. When someone you know dies from suicide you struggle with complex social, emotional and cultural issues that can make your grief overwhelming and isolating. You will experience changes and challenges in your personal relationships, your spiritual beliefs, and in your concentration and memory. Your emotions and general health may also become unsettled and fragile. Suicide grief affects all realms of your life.



We have chosen the image of the labyrinth as a metaphor for the journey through grief. A labyrinth is not a maze as there are no dead ends and no wrong turnings. There is only one way - forward. So it is with grief. The only way through is forward, with many turns and going back and forth over what seems like the same territory. We journey to the centre of our grief, to the centre of ourselves, and then slowly return to re-enter the world.

What to Do When the Police Leave, A Guide to the First Days of Traumatic Loss

by Bill Jenkins

This book is filled with simple, frank, and useful advice vital to families suffering a traumatic loss. It offers help in the face of helplessness. The author shares expert advice, lists helpful resources, demystifies legal and medical jargon, and affirms hope in the midst of tragedy.

Working It Through, An Elisabeth Kubler-Ross Workshop on Life, Death and Transition

by Elisabeth Kubler-Ross

This book details the results of workshops hosted by Kubler-Ross for people whose lives have been touched by death. One chapter in the book is dedicated to suicide: Suicide, Self-Acceptance and Letting Go.

The Grieving Teen: A Guide for Teenagers and Their Friends

by Helen Fitzgerald
Writing not only about but also for teenagers, Fitzgerald adeptly covers the entire range of situations in which teens may find themselves grieving a death, whether the cause was old age,

terminal illness, school violence, or suicide. She helps teens address the gamut of strong and difficult emotions they will experience and the new situations they will face, including family changes, issues with friends, problems at school, and the courage needed to move forward with one's own life.

Websites:

Living with Suicide

www.pbs.org/weblab/living

Very attractive, easy to use website sponsored by PBS. There is information, a place to read other people's stories and you can also include your own. This site also has a message board where you can post a question or struggle that you are having and other suicide grieverers can respond to you.

Surviving Suicide

<http://survivingsuicide.com>

Site hosted by a suicide bereaved mom. Also provides links to many other websites for suicide grieverers.

Canadian Mental Health Assoc.

http://www.cmha.ca/bins/content_page.asp?cid=3-101-103

This website features information on preventing suicide, grief after suicide and youth and suicide.

Resources

Books Available in the Hospice Northwest Library:

She Never Said Goodbye: One Man's Journey Through Loss by Robert Dykstra

She Never Said Goodbye clearly and grippingly reflects the range of strong emotions, questions, and wrestlings the author experienced following his wife's sudden suicide.

After Daniell, A Suicide Survivor's Tale by Moira Farr

After Daniel offers readers, those who are surviving suicide and those of us whose relation to it is more indirect, a rare opportunity to view a complex and often painful subject through intelligent, impassioned, experienced eyes.

Suicide, Helping Those at Risk by John D. Morgan

In May 1986, King's College in London Ontario, as part of its continuing death education program, organized a conference on suicide. The purpose was to identify, understand and help those at risk, whether that risk was immediately suicide, or through suicide to the risks for

the bereaved. This book presents the finding from this conference.

Living With Grief After Sudden Loss: Suicide, Homicide, Accident, Heart Attack, and Stroke by Kenneth J. Doka

The sudden loss of a spouse, parent, child, relative, loved one or friend can be a numbing, debilitating and shocking life experience. Most of us are unprepared for such a trauma and, as in all of life, none of us can know how we will feel until we find ourselves there—alone, emotionally vulnerable, and afraid. This book examines the grief that follows, grief that can be one of life's most painful experiences.

Suicide: Prevention, Intervention, Postvention by Earl A. Grollman

This book provides information on suicide statistics and gives advice on how to recognize the warning signs of a potential suicide attempt, how to intervene when a suicide has been attempted, and how to comfort families and friends who have lost a loved one to suicide.

Things to Know about Suicide

No one thing, person or event leads a person to choose suicide.

In your grief you will search desperately for a reason why your loved one chose to die. It is important that you understand that this act was the result of many factors in this person's life and not one particular event or discussion. People who choose suicide feel completely hopeless about themselves and their lives. Suicide is seen as the only release from a life full of chaos and despair.

Often the person who chooses suicide has withdrawn from friends and family.

Sometimes once a decision about suicide has been made the person seems preoccupied, remote or even really happy. In the days before the suicide you may have felt out of touch with this person, or had trouble reaching her, either in person or by phone. It is as though life stops before it stops.

The suicide note only reflects the person's state of mind at the time that it was written.

Suicide notes are generally left

to: identify or explain the person's level of despair; accuse or blame someone else; give away personal belongings; alleviate any responsibility that others might assume; or say goodbye. If there was a suicide note you may hope that it will explain why this happened. However, the person's frame of mind when he composed the note doesn't necessarily reflect his frame of mind when he developed a plan for suicide and followed through with it.

People who die from suicide are not necessarily mentally ill or from abusive and neglectful families.

Although the person's mental and social stability is something that friends and family may question intensely, it is important not to assume that because the person chose suicide, she was unloved or 'crazy'. People who die from suicide are more likely to be perfectionists who are highly critical of themselves and have low self esteem. They often fear that they will not be able to cope with a major life change or feel that they cannot live up to their own, or others' expectations.

Things to Know about Grief After Suicide

YOUR FEELINGS

You may experience intense anger.

This may be directed at people whom you perceive to have been negligent: such as counsellors, friends, doctors, and yourself. Survivors of suicide often feel in hindsight that they missed or ignored some earlier call for help or warning signal. It is common to feel angry with the person who died: it seems now that he did not value his life and your relationship as you did. You may feel angry that he just gave up or that he didn't consider how devastating this loss would be for the people who cared about him.

You may feel tremendous guilt and blame.

You may feel that something you did or didn't do contributed to the despair that she felt when she chose suicide. If your relationship with the person who died was conflicted you may accuse yourself of being the cause of her unhappiness. Or you may have been aware of this person's history of mental illness or risky behaviour, such as previous sui-

cide attempts, drug or alcohol abuse, but given up trying to help her for reasons of your own health or happiness.

You may feel ashamed or judged by others.

Many people think that people who die from suicide must have been mentally ill or from dysfunctional families. Although this isn't generally true, some people may still be critical of you and your family. Others, who genuinely care about you, may stay away because they don't know what to say or how to be helpful.

You may fear that other friends or family will choose suicide.

When someone you care about makes a choice to die in this way, you may worry that other people in distress will follow suit. 'Copycat' suicides have been a concern in schools and other close communities.

You may feel betrayed or abandoned by the person who died.

You may have thought that she was living a normal and reasona-

understand what is happening for you.

Accept your feelings.

Find helpful ways to express them.

Understand that your grief will be intense and sustained.

You are struggling to come to terms with a devastating death and its impact on your life. There is no 'quick fix' that will lessen or speed up your grief journey.

It is important that you 'get real' about guilt and blame.

When someone dies in this way you will struggle with issues of responsibility, guilt and blame. It might be helpful to make three lists: one about what the person who died is responsible for, another about what you are responsible for and another about what others are responsible for. You may want to share these lists with a friend who is able to be more objective. The part that you feel responsible for is the only part that you can do anything about.

Find a way to atone for mistakes that you made.

Even if you cannot undo the mistakes that you've made, you can change your behaviour and ask for forgiveness. You may find it helpful to pray to God, or talk with a spiritual or religious leader in your community. You may also want to ask the person who died for forgiveness by writing a letter or doing something that you believe she would accept as a symbol of your regret or remorse about what you've done.

When you are ready, forgive yourself.

If you did make mistakes you must ask yourself how long and hard you deserve to be punished. Is this self-inflicted punishment serving any useful purpose or does it only keep you stuck in painful patterns? It may be helpful to create a ritual of self-forgiveness that helps you to let go of your guilt.



Strategies for Living with Grief After Suicide

Gather the facts as soon as you are ready.

Because it is likely that you will go over and over the suicide in your mind, it is important that you have as much concrete information as possible. It may be necessary to talk with emergency response personnel, the police or the coroner. You may want to ask a friend to be with you when you hear this information.

Be honest about what happened.

Explore what you believe to be true about your relationship with the person who died and the reasons for his death.

Identify people with whom you are able to be honest and vulnerable.

Usually these are people who won't grill you for details or overload you with their own opinions or 'quick fixes'. You may find that friends who can share in the questions rather than give you their answers are most helpful now.

Talk with others who have experienced a suicide loss.

Sometimes others who have been there or are working through similar tragedies are able to understand your sorrow and aren't threatened by your volatility. Check out whether there is a support group for suicide griever in your area. You may also search the Internet for relevant discussions groups.

Go over and over the why questions, the suicide note and anything else, as often as you need to.

Sometimes writing these questions and the answers that you discover in a journal is helpful. You will come to a time when the partial answers are enough.

You may want to see a counsellor.

Sometimes talking things through with an experienced professional helps. A counsellor will provide you with the safety, support and information that you need to fully explore and

bly happy life. Now, you wonder whether your entire relationship was based on false beliefs and lies. You may feel hurt and wonder why she didn't share her troubles with you.

You will experience deep sadness.

The feeling that someone you cared about felt hopeless and desperate enough to believe that suicide was his only option will magnify your sadness.

You may feel relief.

If your relationship with her was difficult and draining, part of you may be relieved that she will no longer be causing you distress.

You may feel peace or acceptance.

If she had been suffering for some time and it seemed as though nothing would ever improve, you may understand her desperation and her decision.

YOUR THOUGHTS

You may make up false stories about what happened.

You may want to say that the person had a heart attack or was in an accident. This dishonesty may be because of feelings of

shame, discomfort or fear about the reactions of other people. Rather than protecting yourself and others, this denial keeps everyone silent and isolated. Family and friends may have some intuition or suspicion that the death was a suicide, or they will hear rumours. Telling a false story will only make your grief, and that of others, more conflicted and prolonged.

You will be flooded with WHY? questions.

You may have an insatiable need to examine every possible reason why your loved one chose suicide. You are trying to answer unanswerable questions, trying to understand how he could have chosen this traumatic final way to solve his problems. You may find that the why questions replay over and over in your head so that you are unable to focus on anything else.

You may be haunted by thoughts about the death.

Whether you actually witnessed the death or not, you may find that your mind keeps replaying the moments before, during and after it took place. You may be thinking about the things that

you saw, smelled or heard, or you could be imagining these details. You may even want to go to the place of death and try to 'act out' the series of events that occurred. Horrible as this process is, it is normal and purposeful. Your mind is trying to understand, accept and desensitize you to what happened. You may also be trying to find a way to feel connected with the person who died or to say goodbye.

YOUR RELATIONSHIPS

You may find it difficult to be with other people for a number of reasons:

Your friends and family may be uncomfortable with your grief and so they either stay away or try to cheer you up.

You may think that they couldn't possibly understand what you feel and you are finding it very difficult to talk about this loss. The absence of the friends or family, who can be with you, may feel like another loss.

Your grief may be so intense that you are distracted by it.

It may be impossible for you to

focus on anything other than this death. When you are with others you may find that thoughts, feelings and sensations about the death invade most of your interactions with others.

You may find it difficult to be with other people because you think or detect that they blame you or your family.

Some people may unjustly blame you out of ignorance or their own suffering. They may be trying to make sense of the death and wanting to deflect the blame from themselves. It may have been easier to make you the scapegoat than face their own feelings of guilt. Also, if you are blaming yourself, you may wrongly assume that other people are too.

You may find it difficult to be with other people because you doubt your ability to see relationships as they really are.

When someone close to you dies from suicide, you may suffer from low self-esteem and a lack of confidence in your own judgment. You may fear that you will experience more hurt if you continue to

love and care about people.

YOUR SPIRITUAL OR RELIGIOUS BELIEFS

You may fear that suicide will be unforgivable in the eyes of God or your religious community.

Consequently you may worry about her salvation and fear that your religious or other spiritual community will also reject or condemn you because of this death.

You may find yourself wondering what, if anything, you believe.

Any spiritual beliefs or values that you previously had may no longer feel true. Anger and disbelief may make it difficult for you to find comfort in the spiritual or religious values that you once held. You may be troubled by the lack of solace you find in the words of God or other spiritual mentors.

You may have questions about the value and meaning of life.

When someone you know dies by suicide, your confidence in your

own perceptions and ideals can be deeply shattered. You may wonder what your purpose in this life really is and doubt your ability to meet future challenges.

You may consider suicide.

The intensity and suffering of your present grief may drive you to question whether your own life, which now includes the trauma of this loss, is worth living. You will question how you could endure so many struggles when it seems these feelings will always be there. If you are feeling suicidal it is important that you get help immediately (See Resources, listed at the end of this booklet).

YOUR BODY

You may experience physical pain or discomfort related to how the person died.

For example, if the person died after an overdose you may feel nauseous and light-headed. You also may experience physical symptoms that are characteristic of normal grief. This may include: nausea, headache, stomachache, chest pains, shortness of breath or general weakness and fatigue.